Outliers

Grade 6 | Higher | 5 questions, 20 marks

GCSE Statistics topic practice


Name: _____ **Date:** _____ **Score:** _____ **/ 20**

1 A nurse records the resting pulse rates, in beats per minute, of a group of patients. The box plot shows her results.

An outlier is a value that is more than 1.5 × IQR below the lower quartile or more than 1.5 × IQR above the upper quartile.

a. Work out the interquartile range of the pulse rates. (1)

b. Show that the highest pulse rate, 98 beats per minute, is an outlier. (2)



(3 marks)

2 A warehouse records the number of hours each employee worked in one week. The lower quartile is 32 hours and the upper quartile is 40 hours. The smallest value is 21 hours and the largest value is 55 hours.

An outlier is a value that is more than 1.5 × IQR below the lower quartile or more than 1.5 × IQR above the upper quartile.

a. Determine whether each of 21 hours and 55 hours is an outlier. You must show your working. (3)

b. The manager checks and finds that the value of 55 hours was recorded correctly. Should this value be removed from the data? Give a reason for your answer. (1)

(4 marks)

Free for classroom and home use: print, photocopy and share. Not for resale or re-hosting.

3 Here are the times, in seconds, that 11 students took to solve a puzzle. The times are in order.

23 27 28 31 33 35 36 38 41 44 62

An outlier is a value that is more than 1.5 × IQR below the lower quartile or more than 1.5 × IQR above the upper quartile.

a. Find the lower quartile and the upper quartile of the times. (2)

b. Determine whether the time of 62 seconds is an outlier. You must show your working. (2)

(4 marks)

---

4 A machine fills bags of flour. The masses of the bags have a mean of 1005 g and a standard deviation of 4 g.

For these bags, an outlier is a mass that is more than 3 standard deviations away from the mean.

a. Work out the smallest mass and the largest mass that are not outliers. (2)

b. One bag is recorded as having a mass of 990 g. Is this mass an outlier? Give a reason for your answer. (1)

c. This bag is weighed again and its mass is found to be 999 g. What should be done with the recorded value of 990 g? Give a reason for your answer. (1)

(4 marks)

Free for classroom and home use: print, photocopy and share. Not for resale or re-hosting.

5 A cafe records the number of customers it has each day for 31 days. Here is some information about the results.

Lowest value	Lower quartile	Median	Upper quartile	Two highest values
15	30	36	42	58 and 67

An outlier is a value that is more than 1.5 × IQR below the lower quartile or more than 1.5 × IQR above the upper quartile.

a. Show that 67 is an outlier. (2)

b. On the grid, draw a box plot for this information. Show the outlier with a cross. (3)



(5 marks)

End of questions | Total 20 marks

Free for classroom and home use: print, photocopy and share. Not for resale or re-hosting.