



1

- Simplify $5 \times 2m$
- Simplify $n \times n \times n \times n$
- Simplify $3c \times 4d$

(3 marks)

a) $5 \times 2m = 10m$

b) n multiplied by itself four times is n^4

c) Multiply the numbers

$3 \times 4 = 12$, then attach the letters: $12cd$

2

Here are four pieces of algebra.

A: $3x + 2 = 11$ B: $A = lw$ C: $4y - 7$ D: $2(x + 3) \equiv 2x + 6$

Write down which one is

- an expression
- an equation
- a formula
- an identity

(2 marks)

a)

expression: no equals sign

C

b)

equation: true for one value ($x = 3$)

A

c)

formula: works out one quantity from others

B

d)

identity: true for every x , the $\equiv$ sign

D

3 Simplify $6x + 3y - 2x + 5y$

(2 marks)

Like terms have exactly the same letters and powers. Combine x terms with x terms and y terms with y terms; an x and a y need not have the same value

Collect the x terms

$$6x - 2x = 4x$$

Collect the y terms

$$3y + 5y = 8y$$

The simplified expression is $4x + 8y$

$$\boxed{4x + 8y}$$

4 Simplify

a. $5a^2 + 3a - 2a^2 + 4a - 9$

b. $4xy - 7 + 2yx + 10$

(2 marks)

a)

$$a^2 \text{ terms: } 5a^2 - 2a^2 = 3a^2$$

$$a \text{ terms: } 3a + 4a = 7a$$

$$\boxed{3a^2 + 7a - 9}$$

b)

yx is the same as xy

$$4xy + 2xy = 6xy$$

$$\boxed{6xy + 3}$$

5 a. Expand $4(2x - 5)$

b. Factorise $6y + 15$

(2 marks)

$$\text{a) } 4 \text{ times } 2x = 8x \text{ and } 4 \text{ times } -5 = -20, \text{ so } 8x - 20$$

b) The highest common factor of $6y$ and 15 is 3

$$6y + 15 = 3(2y + 5)$$

Factorising reverses expanding: divide every term by the common factor to find what belongs inside the bracket, then expand again to check

6

a. Expand and simplify $3(2x + 5) - 2(x - 4)$ b. Expand $x(x + 7)$

(3 marks)

a)

$$3(2x + 5) = 6x + 15$$

$$6x + 15 - 2x + 8$$

$$4x + 23$$

b)

$$x \times x = x^2, x \times 7 = 7x$$

$$x^2 + 7x$$

7

a. Factorise $5x + 20$ b. Factorise $x^2 - 9x$

(2 marks)

a) The highest common factor of $5x$ and 20 is 5 , so $5x + 20 = 5(x + 4)$

b) Both terms contain x , so $x^2 - 9x = x(x - 9)$

8 The diagram shows a rectangle with sides $(x + 4)$ and $(x + 3)$.

It is split into four smaller rectangles.

- Write down an expression for the area of each of the four smaller rectangles.
- Hence expand and simplify $(x + 4)(x + 3)$




Diagram NOT accurately drawn

(3 marks)

a)

$$x \times x = x^2$$

$$4 \times x = 4x$$

$$x \times 3 = 3x$$

$$4 \times 3 = 12$$

$$x^2, 4x, 3x, 12$$

b)

$$x^2 + 4x + 3x + 12$$

collect $4x + 3x$

$$x^2 + 7x + 12$$

9 Expand and simplify $(x - 3)(x + 8)$

(2 marks)

$$(x - 3)(x + 8) = x^2 + 8x - 3x - 24$$

Collect like terms: $x^2 + 5x - 24$

$$x^2 + 5x - 24$$

10


Each bar in the diagram has length x .

The top bar is split into halves, the middle bar into thirds and the bottom bar into sixths.

a. Use the diagram to write $\frac{x}{2}$ and $\frac{x}{3}$ in sixths.

b. Hence simplify $\frac{x}{2} + \frac{x}{3}$

c. Simplify $\frac{x}{2} - \frac{x}{3}$



(3 marks)

a)

one half covers 3 sixths

$$\frac{x}{2} = \frac{3x}{6}$$

one third covers 2 sixths

$$\frac{x}{3} = \frac{2x}{6}$$

b)

$$\frac{x}{2} + \frac{x}{3} = \frac{3x}{6} + \frac{2x}{6}$$

$$\boxed{\frac{5x}{6}}$$

c)

$$\frac{x}{2} - \frac{x}{3} = \frac{3x}{6} - \frac{2x}{6}$$

$$\boxed{\frac{x}{6}}$$

11

Simplify fully

a. $\frac{6x}{9}$

b. $\frac{x}{3} + \frac{x}{4}$

c. $\frac{5y}{6} - \frac{y}{3}$

d. $\frac{2a}{3} \times \frac{9}{4a}$

(4 marks)

a.)

divide top and bottom by 3

$$\boxed{\frac{2x}{3}}$$

b.)

common denominator 12

$$\frac{x}{3} + \frac{x}{4} = \frac{4x}{12} + \frac{3x}{12}$$

$$\boxed{\frac{7x}{12}}$$

c.)

$$\begin{aligned} \frac{5y}{6} - \frac{y}{3} &= \frac{5y}{6} - \frac{2y}{6} \\ &= \frac{3y}{6} \end{aligned}$$

$$\boxed{\frac{y}{2}}$$

d.)

$$\frac{2a}{3} \times \frac{9}{4a} = \frac{18a}{12a}$$

a cancels, then divide by 6

$$\boxed{\frac{3}{2}}$$

12

a. Expand and simplify $(y - 3)(y - 8)$ b. Factorise fully $4a^2b + 6ab^2$

(4 marks)

$$a) (y - 3)(y - 8) = y^2 - 8y - 3y + 24$$

Collect like terms: $y^2 - 11y + 24$

b) The highest common factor of $4a^2b$ and $6ab^2$ is $2ab$

$$4a^2b + 6ab^2 = 2ab(2a + 3b)$$