



- 1 A bistro menu has 5 starters, 8 main courses and 4 desserts.
Callum chooses one starter, one main course and one dessert.
Work out the number of different three-course meals Callum can choose.

(2 marks)

Multiply the number of choices at each stage

$$5 \times 8 \times 4 = 160 \text{ different meals}$$

160

- 2 A bag contains 4 green counters, 7 yellow counters and 9 white counters.
A counter is taken from the bag at random.
Find the probability that the counter is **not** green.

(2 marks)

$$\text{Total number of counters} = 4 + 7 + 9 = 20$$

$$\text{Counters that are not green} = 7 + 9 = 16$$

$$P(\text{not green}) = \frac{16}{20} = \frac{4}{5}$$

$\frac{4}{5}$

- 3 A spinner can land on red, blue or green only.
 $P(\text{red}) = 0.3$ and $P(\text{blue}) = 0.25$.
a. Work out the probability that the spinner lands on red or blue.
b. Work out the probability that the spinner lands on green.

(3 marks)

$$P(\text{red or blue}) = 0.3 + 0.25 = 0.55$$

The probabilities of red, blue and green must add up to 1

$$P(\text{green}) = 1 - 0.55 = 0.45$$

4

Two fair spinners are each numbered 1, 2, 3 and 4.

Both spinners are spun and the two scores are added together.

+	1	2	3	4
1	2	3		
2	3			
3			6	
4				

- Complete the sample space diagram.
- Work out the probability that the total is 5
- Work out the probability that the total is greater than 6

(4 marks)

a)

Add the row and the column

2 3 4 5

3 4 5 6

4 5 6 7

5 6 7 8

b)

$4 \times 4 = 16$ outcomes

Totals of 5: 4 of them

$$P(5) = \frac{4}{16}$$

$$\frac{1}{4}$$

c)

Greater than 6: 7, 7, 8

3 outcomes

$$\frac{3}{16}$$

5

Twelve cards are numbered 1 to 12. One card is taken at random.

Event A: the number is even.

Event B: the number is a multiple of 5

Event C: the number is an odd prime number.

- Write down two of the events that are mutually exclusive. Give a reason for your answer.
- Work out the probability that the number is even or an odd prime number.
- Leah says, " $P(A \text{ or } B) = P(A) + P(B)$ ". Explain why Leah is wrong.

(4 marks)

A: 2, 4, 6, 8, 10, 12

B: 5, 10

C: 3, 5, 7, 11

a)

No numbers in common

A and C

b)

$$P(A \text{ or } C) = \frac{6}{12} + \frac{4}{12}$$

$$= \frac{10}{12}$$

$$\frac{5}{6}$$

c)

10 is in A and in B

Adding counts 10 twice

A and B are not mutually exclusive

6

A four-sided spinner can land on 1, 2, 3 or 4.

The table shows some of the probabilities.

Number	1	2	3	4
Probability	0.2	0.35	0.15	

- Work out the probability that the spinner lands on 4.
- The spinner is spun 200 times. Work out an estimate for the number of times it lands on 4.

(4 marks)

The probabilities must add up to 1, and $0.2 + 0.35 + 0.15 = 0.7$

$$P(4) = 1 - 0.7 = 0.3$$

$$\text{Estimated number of 4s in 200 spins} = 0.3 \times 200 = 60$$

7

Zainab and Theo play a game with two fair six-sided dice.

They roll both dice and multiply the two scores.

Zainab wins if the answer is even.

Theo wins if the answer is odd.

- Show that the game is not fair.
- They play the game 60 times. Work out the number of games Theo should expect to win.
- Theo actually wins 18 of the 60 games. Kemi says, "The dice must be biased." Is Kemi right? Give a reason for your answer.

(4 marks)

a)

Odd only if both dice are odd

$3 \times 3 = 9$ odd answers

$6 \times 6 = 36$ outcomes

$$P(\text{Theo}) = \frac{9}{36} = \frac{1}{4}$$

$$P(\text{Zainab}) = 1 - \frac{1}{4} = \frac{3}{4}$$

$$\frac{3}{4} \neq \frac{1}{4}, \text{ so not fair}$$

b)

$$60 \times \frac{1}{4} = 15$$

15 games

c)

Expected 15, actual 18

18 is close to 15

No, results vary a little

8


80 adults went to a gym on Saturday.

45 of the adults went to a morning class. The rest went to an afternoon class.

Of the adults at the morning class, 30 did yoga.

Of the adults at the afternoon class, 12 did yoga.

- Complete the frequency tree.
- One of the 80 adults is chosen at random. Find the probability that this adult went to the morning class and did yoga.



(4 marks)

$$\text{Afternoon class} = 80 - 45 = 35$$

$$\text{Morning, not yoga} = 45 - 30 = 15$$

$$\text{Afternoon, not yoga} = 35 - 12 = 23$$

$$P(\text{morning and yoga}) = \frac{30}{80} = \frac{3}{8}$$

9


A running club has 120 members. Each member is an adult or a junior.

70 of the members are adults. The rest are juniors.

$\frac{2}{5}$ of the adults ran a marathon last year.

11 of the juniors ran a marathon last year.

- Work out the number of juniors in the club.
- Work out the number of adults who ran a marathon last year.
- One of the members who ran a marathon last year is chosen at random. Work out the probability that this member is a junior.



(5 marks)

$$\text{Juniors} = 120 - 70 = 50$$

$$\text{Adults who ran a marathon} = \frac{2}{5} \text{ of } 70 = 28$$

$$\text{Total members who ran a marathon} = 28 + 11 = 39$$

$$P(\text{junior}) = \frac{11}{39}$$

10

The passcode for a tablet is a 4 digit number.

The first digit cannot be 0.

Digits may repeat.

- Work out the number of different passcodes that are possible.
- Ruby does not know the passcode. She types one 4 digit number at random, with a non-zero first digit. Write down the probability that Ruby types the correct passcode.

(3 marks)

(a) There are 9 choices for the first digit (1 to 9) and 10 choices for each of the other three digits

$$9 \times 10 \times 10 \times 10 = 9000 \text{ passcodes}$$

(b) Exactly one of the 9000 equally likely guesses is correct, so the probability is

$$\frac{1}{9000}$$


11

A bag contains 3 red counters and 7 blue counters.

Kira takes a counter at random, notes its colour and puts it back.

She then takes a second counter at random.

- Complete the probability tree diagram for the two picks.
- Work out the probability that both counters are blue.



(3 marks)

$$P(\text{red}) = \frac{3}{10} = 0.3 \text{ and } P(\text{blue}) = \frac{7}{10} = 0.7$$

The counter is replaced, so the second pick has the same probabilities

$$P(\text{both blue}) = 0.7 \times 0.7 = 0.49$$

EXTENSION QUESTIONS

80 Year 9 pupils were asked if they play chess. The two-way table shows some of the results.

	Chess	No chess	Total
Boys	12		48
Girls		24	
Total			80

- Complete the two-way table.
- One of the girls is chosen at random. Work out the probability that she plays chess.
- Are the events "the pupil is a girl" and "the pupil plays chess" independent? You must show your working.

(5 marks)

a)

$$\text{Boys, no chess: } 48 - 12 = 36$$

$$\text{Girls total: } 80 - 48 = 32$$

$$\text{Girls, chess: } 32 - 24 = 8$$

$$\text{Chess total: } 12 + 8 = 20$$

$$\text{No chess total: } 36 + 24 = 60$$

b)

Only look at the 32 girls

$$P(\text{chess} \mid \text{girl}) = \frac{8}{32}$$

$$\boxed{\frac{1}{4}}$$

c)

$$P(\text{chess}) = \frac{20}{80} = \frac{1}{4}$$

$$P(\text{chess} \mid \text{girl}) = \frac{1}{4}$$

The same, so knowing she is a girl changes nothing

Yes, independent

13

There are 60 pupils in Year 9.

25 pupils play an instrument (I).

18 pupils sing in the choir (C).


7 pupils play an instrument and sing in the choir.

a. Complete the Venn diagram.

b. One of the 60 pupils is chosen at random. Find $P(I \cap C')$.

c. Find $P(I')$.

d. A pupil who sings in the choir is chosen at random. Work out the probability that this pupil also plays an instrument.



(5 marks)

a)

$$I \text{ only: } 25 - 7 = 18$$

$$C \text{ only: } 18 - 7 = 11$$

$$\text{Neither: } 60 - 18 - 7 - 11 = 24$$

b)

$I \cap I'$ but not in C

$$P(I \cap C') = \frac{18}{60}$$

$$\frac{3}{10}$$

c)

Not in I

$$11 + 24 = 35$$

$$P(I') = \frac{35}{60}$$

$$\frac{7}{12}$$

d)

Only look at the 18 in the choir

$$P(I | C) = \frac{7}{18}$$

$$\boxed{\frac{7}{18}}$$


14

A box contains 5 red pens and 4 blue pens.

Milo takes a pen at random and does **not** replace it.

He then takes a second pen at random.

- Complete the probability tree diagram.
- Work out the probability that Milo takes at least one red pen.



(5 marks)

First pick

$$P(\text{red}) = \frac{5}{9}, P(\text{blue}) = \frac{4}{9}$$

The pen is not replaced, so 8 pens remain

after a red, $P(\text{red}) = \frac{4}{8}$ and $P(\text{blue}) = \frac{4}{8}$; after a blue,

$$P(\text{red}) = \frac{5}{8} \text{ and } P(\text{blue}) = \frac{3}{8}$$

$$P(\text{no red pens}) = P(\text{blue, blue}) = \frac{4}{9} \times \frac{3}{8} = \frac{12}{72} = \frac{1}{6}$$

$$P(\text{at least one red}) = 1 - \frac{1}{6} = \frac{5}{6}$$